

Company/Address:

**asecos GmbH
Weiherfeldsiedlung 16-18
D-63584 Gründau
Fax: +49 6051 9220-10**

Order information:

Company: _____

Department: _____

Name: _____

Telephone: _____

E-Mail: _____

Contact person
Ventilation _____

Information:

What kind of work / activity will be conducted in the Hazardous material workplace?

- Decanting
- Cleaning
- Glue
- Painting / coating
- Other (please describe): _____

Please explain where the equipment will be located (department, location)

Please describe the chosen location exactly including details of room dimensions, ventilation outlets/ inlets, windows, doors, supply connections and obstacles. Please state whether the installation will be against a wall or free standing in a central position. Please insert a sketch in the box below to assist us.

Sketch



Erection site: In front of a wall or somewhere in a room ?

Please state the maximum dimensions and weight of equipment to be used in the cabinet.

Height ____ mm Width ____ mm Depth ____ mm Weight ____ kg

Please state the required dimensions of the required device. You will see a listing of our standard measurements below, if you have a specific requirement – please specify

_____ mm height standard heights: 1400 mm 1100 mm

_____ mm width standard widths: 900 mm 1200 mm 1500 mm 1800 mm
special widths: 2100 mm 2400 mm 2700 mm 3000 mm
special widths: 3300 mm 3600 mm _____ mm

Is a combination with the standard measures possible? No Yes

_____ mm depth standard depths: 600 mm 750 mm
special widths: 850 mm 1000 mm

External device depth	Available depth for the working surface without media duct		External device depth	Available depth for the working surface without media duct
600 mm	490 mm		850 mm	740 mm
750 mm	640 mm		1000 mm	890 mm

External device depth	Available depth for the working surface without media duct		External device depth	Available depth for the working surface without media duct
600 mm	380 mm		850 mm	630 mm
750 mm	530 mm		1000 mm	780 mm

**What kind of chemicals or materials will be used?
(Please specify concentration and quantity)?**

Material/Chemical	Concentration in %	Daily use [ml/mg]


for more information see joint specification list (if possible CAS Number)

Required media supply:

Media supply in aluminum frame?

No
Yes


Due to the use of a media supply in the back frame of the device no work surface gets lost. But the device needs an appropriate space in the rear to mount the supply elements.



Aluminum media duct as media supply required?

No
Yes

When a media duct is installed, all supply elements are fixed through the bottom of the device and no space is required at the rear. Subsequent supply upgrade is possible. About 110 mm of the working surface is lost.



Is any wall socket for electrical supply required?

No
 Yes Quantity: _____ Voltage: _____ Volt

Shall the sockets be installed in the frame or in the media duct (flush-mounted) or shall they be installed in the rear wall (surface-mounted) ?

Shall the sockets be electrically switchable? No Yes

At which position shall they be installed? (standard position see technical drawing)

Is running water required?

No Yes please indicate position.


Any other type of supply required? If yes, what kind of?

No Yes Type: _____. Please indicate the position in the techn. draw.

Technical drawing of the aluminum frame with the indicated defined standard positions. (Divergent positions are partly possible)



X = width (device)
 1800 = 778 mm
 2100 = 928 mm
 2400 = 1078 mm

Alu Sockel




Technical drawing of the aluminum media duct with the indicated defined standard positions. (Divergent positions are partly possible)

X = width (device)
 1800 = 778 mm
 2100 = 928 mm
 2400 = 1078 mm



GAP* upto 1500 mm width




GAP* upto 1800 mm width


*GAP = Hazardous material workplace

Are lateral grommets required?

No Yes position and diameter (Ø) _____





left view



right view

**Should the size of the front sash be reduced?
(PMMA – historically called acrylic glass, bezel or claps)**

No
Yes



Example of a front sash using claps with a height of approx. 400 mm

Work surface:

Is there any existing working surface that should be integrated?

No
Yes

If yes, what are the features and dimensions of the work surface? (Please provide a sketch).

Is an integrated work surface required?

No
Yes

If yes, what kind of material is required?

- Melamine-faced wood-based material
- Stainless steel (V2A)
- Ceramic


*GAP = Hazardous material workplace

Are one or more sinks required?

No
 Yes Qty.: _____

Stainless steel version: If required, which dimensions?

See the standard, available versions:



Please select one of the standard sinks or confirm the required dimensions below:

Sink 1_Nr. _____ or _____ mm length _____ mm width _____ mm depth

Sink 2_Nr. _____ or _____ mm length _____ mm width _____ mm depth

Caution! Please refer to the work surface depth and the minimum space of 40 mm from sink border toward surface border!

Is there any cover or grid required?

No Yes describe _____

For sink n° _____




Shall the sink-drain be closable by ball cock?

No Yes

Ceramic version:

Dimensions in mm



Sketch: Model n° 1101, drain form 10

Dimensions (Abmessungen) and weights (Gewichte)

A	B	Abmessungen					Gewicht ca. kg	Modell- Nr.
		außen ca.		innen ca.				
		H	K	a	b	t		
145	145	230	120/120	100	100	150	2	1001
295	145	230	269/119	245	95	150	4	1101
295	295	230	274/274	240	240	150	6	1111

Sink 1 _____ mm length _____ mm width _____ mm depth

Sink 2 _____ mm length _____ mm width _____ mm depth


Should the sink be fitted or flush-mounted ?

Is there any cover or grid required?

No Yes for which sink. _____?

Please indicate required sink position: left, centre, right

Sketch



Substructure:

Will the work at the Hazardous material workplace be standing or sedentary?

Is any underbench cabinet required (chemicals, tools or work pieces)?

No Yes for _____

Shall (flammable) liquids be directly led from the sink/work surface into a container in an underbench cabinet?

No Yes

Explosion-risk area:

Shall the Hazardous material workplace be erected in an explosion-risk area??

No Yes which zone? (Please discribe exactly)

Exhaust air unit connection:

Is an on-site exhaust air unit available?

No
Yes

If an on-site exhaust air unit is missing, are there any tubes, ventilators, ducts or clamps required? (These components ar not included in the packing list of the Hazardous material workplace)

No
Yes Please make a sketch of the exhaust air unit connection/ventilation way

We will check your request on technical feasibility and will get in contact with you to propose our detailed offer.