SpillGuard®
Leak detection system

Detect leaks quickly – Act promptly

Detect leaks quickly – Act promptly

Fully autonomous, ready for use right away and suitable for use and retrofitting with any type of sump pallet – with approval for ATEX Zone 0!

Hazardous material leaks in safety and chemical storage cabinets are detected reliably in the bottom collecting sump, drawer or a tray shelf and an alarm is sounded immediately before greater damage can occur.
This approach gives you valuable time to repair leaks.

Universal

- The SpillGuard® detects leaks of all commonly used liquid hazardous materials (see resistance list)
- Can be used for any steel or plastic sump pallet or storage level of asecos safety/chemical cabinets
- With approval for ATEX Zone 0

Autonomous system

- The SpillGuard® works completely independently
- No accessories, no system requirements

More complete information on the SpillGuard®, such as a resistance list, operating manual, and product data sheet, are available in the **asecos Product Finder**.

One touch

- The SpillGuard® is ready for use in just a few seconds
- Installation is very simple: Simply set in place – Switch on via one touch mechanism – Ready for use

Reliable warning signal

- Smart, robust sensor technology to quickly register leaks
- Acoustic and visual warning signal for at least 24 hours, following contact with liquids

Durable

- Highly resistant and conductive material
- A regular visual signal (red LED) indicates the device is working securely
- Powerful battery (approx. 5 year battery life)

Ready for use in seconds

Set in place, switch on, ready to go! Installing the SpillGuard® is simple

Place the SpillGuard® at the lowest point in the tray shelf	Press and hold the Power button until you hear 1 beep	After 30 seconds, the red LED will flash and you will hear 2 beeps to indicate that initialisation is complete

Reliable monitoring during ongoing operation

The red LED flashes (1x per minute) to signal that the device is ready for operation	Acoustic and visual alarms are triggered in case of contact with liquid hazardous materials

Good to know: the leak warning is guaranteed to remain active for 24 hours

Technical specifications

Exterior diameter (mm):	110
Exterior height (mm):	40
ATEX marking:	EX II 1G Ex ia IIB T4 Ga

SpillGuard® hazardous materials leakage warning system – Range of applications



Order form

Return via email to asecos AB at order@asecos.se or contact us by telephone +46 18 349 555

Invoice address

Company

Department

First name / Last name

Street / No.

Postal code / City

Country

E-Mail

Phone number

Your tax ID / VAT no.:

Customer number (if available)

Delivery address, if different

Company

Department

First name / Last name

Street / No.

Postal code / City

Country

Advising asecos service technician

Order information

Model	Order no.	Quantity	Unit price EUR*
SpillGuard® leak detection system incl. Quick Start Guide for quick commissioning	39036		89.00

* The listed unit price is a net price and does not include VAT or delivery costs.

Delivery costs
Delivery costs are graduated based on order quantity:
1 pc. SpillGuard®, 10.50 €/piece, from 3 pc. SpillGuard®: 7.35 €/piece, from 5 pc. SpillGuard®: 5.25 €/piece, from 10 pc. SpillGuard®: 3.15 €/piece

Payment conditions
We accept purchases on account. Invoices are payable within 30 days from the delivery date without discounts.

Comments / order number:

Date / signature / stamp

Name in block letters

GTC
The asecos GmbH General Terms and Conditions apply (www.asecos.com)

Data Privacy Notice
The asecos GmbH Data Privacy Notice applies (www.asecos.com/datenschutz)

asecos GmbH
Sicherheit und Umweltschutz
Weiherfeldsiedlung 16–18
DE-63584 Gründau
+49 6051 92200
F +49 6051 922010
@ info@asecos.com

Asecos BV
Veiligheid en milieubescherming
Christiaan Huijgensweg 4
NL-2408 AJ Alphen a/d Rijn
+31 172 506476
F +31 172 506541
@ info@asecos.nl

asecos SARL
Sécurité et protection de l'environnement
7 rue du Pré Chaudron
FR-57070 Metz
+33 3 87 78 62 80
@ info@asecos.fr

asecos S.L.
Seguridad y Protección del
Medio Ambiente
C/ Calderí, s/n – Ed. CIM Vallés, planta 7,
oficinas 75-77
ES-08130 – Santa Perpètua de Mogoda
Barcelona
+34 935 745911
F +34 935 745912
@ info@asecos.es

asecos Ltd.
Safety and Environmental Protection
Profile House
Stores Road
Derby, Derbyshire
DE21 4BD
+44 1332 415933
@ info@asecos.co.uk

asecos
Safety and Environmental Protection Inc.
c/o Schumann Burghart LLP
1 Penn Plaza, Suite 4440
New York, NY 10119, USA
+1 (917) 362 5014
F +49 6051 922010
@ info@asecos.com

asecos Schweiz AG
Sicherheit und Umweltschutz
Gewerbe Brunnmatt 5
CH-6264 Pfaffnau
+41 62 754 04 57
F +41 62 754 04 58
@ info@asecos.ch

asecos AB
Säkerhet och miljöskydd
Typsnittsgatan 4
SE-75454 Uppsala
+46 18 34 95 55
@ info@asecos.se

***For all other countries** please contact asecos Headquarters in Germany.*

We accept no liability for any printing errors, product modifications due to technical development, or model updates.

© asecos GmbH 10/2025